
CSLAP 2011 Lake Water Quality Summary: Roaring Brook Lake

General Lake Information

Location	Town of Putnam Valley
County	Putnam
Basin	Lower Hudson River
Size	46.6 hectares (115.1 acres)
Lake Origins	Augmented by Dam
Watershed Area	466.4 hectares (1,152 acres)
Retention Time	0.3 years
Mean Depth	2.0 meters
Sounding Depth	4.3 meters
Public Access?	private beach
Major Tributaries Lake Tributary To	Roaring Brook Roaring Brook to Peekskill Hollow Creek to Annsville Creek to Hudson River
WQ Classification	B (contact recreation = swimming)
Lake Outlet Latitude	41.433
Lake Outlet Longitude	-73.806
Lane Cant Dongitude	7,5,000
Sampling Years	2009-2011
2011 Samplers	Bill Brigham, Friedel Muller-Landau, Ernst Demms, Marion
	Clifford, Hudson Smith, and Timothy Harper
Main Contact	Bill Brigham

Lake Map



Background

Roaring Brook Lake is a 115 acre, class B lake found in the town of Putnam Valley in Putnam County in the southern Hudson River basin. The lake was first sampled as part of CSLAP in 2009.

It is one of 12 CSLAP lakes among the more than 75 lakes found in Putnam County, and one of 43 CSLAP lakes among the more than 360 lakes and ponds in the Lower Hudson River drainage basin.

Lake Uses

Roaring Brook Lake is a Class B lake; this means that the best intended use for the lake is for contact recreation—swimming and bathing, non-contact recreation—boating and angling, aquatic life, and aesthetics. The lake is used by lake residents for swimming, passive boating and other recreation via shoreline properties; the lake does not have public access.

It is not known whether Roaring Brook Lake has been stocked through any state fisheries stocking programs, or if any private stocking has occurred.

General statewide fishing regulations are applicable in Roaring Brook Lake.

Fish species identified in the lake include black crappie, golden shiner, largemouth bass, pumpkinseed sunfish, white catfish, white perch, white sucker and yellow perch.

Historical Water Quality Data

CSLAP sampling was conducted on Roaring Brook Lake from 2009 to 2011. The CSLAP reports for each of the past several years can be found on the NYSFOLA website at http://nysfola.mylaketown.com. The 2009 and 2010 CSLAP reports for Roaring Brook Lake can also be found on the NYSDEC web page at http://www.dec.ny.gov/lands/77848.html.

Roaring Brook Lake was sampled as part of the DEC Lake Classification and Inventory (LCI) survey in 2003. These results indicated lower lake productivity in the LCI survey than exhibited in the CSLAP dataset—water clarity readings were higher, due to lower phosphorus and chlorophyll *a* readings.

There are no NYSDEC RIBS monitoring or stream biomonitoring sites near Roaring Brook Lake.

Lake Association and Management History

Roaring Brook Lake is served by the Roaring Brook Property Owners Association. Most of the management of the lake is conducted by the Roaring Brook Lake Preservation Committee. The lake has no public access, and does not support power boats. The invasive weeds in the lake have been the subject of much discussion, including proposals to stock grass carp, conduct hand harvesting, and an evaluation of other plant management actions.

The Roaring Brook Property Owners Association maintains a website at http://rblpoa.com/.

Summary of 2011 CSLAP Sampling Results

Evaluation of 2011 Annual and Monthly Results Relative to 2006-2010

The Lake Condition Summary Table below and Appendix B compare annual and monthly results from 2011 to those measured in previous CSLAP sampling seasons. The pertinent deviations from normal conditions are discussed below.

Evaluation of Eutrophication Indicators

Chlorophyll a readings were higher than expected in 2011, particularly in September after Hurricane Irene and Tropical Storm Lee. However, Secchi disk transparency and total phosphorus readings were close to normal, despite higher than normal phosphorus readings in September and lower than normal readings in June. It is premature to speculate if any of these trophic indicators has exhibited any significant long-term trends. The lake can be characterized as *mesotrophic*, or moderately productive, based on total phosphorus, chlorophyll a, and water clarity readings. The trophic state index (TSI) evaluation suggests that each of these trophic indicators is "internally consistent"—each of these indicators is in the expected range given the readings of the other indicators. Overall trophic conditions are summarized on the Lake Scorecard and Lake Condition Summary Table.

Evaluation of Potable Water Indicators

Algae levels are not sufficiently high to render the lake susceptible to taste and odor compounds or elevated DBP (disinfection by product) compounds that could affect the potability of the water, although the lake is not classified for use for potable water. Roaring Brook Lake is not thermally stratified, at least on a consistent basis, so deepwater samples have not been collected in the lake (and deepwater intakes to avoid surface algae-enriched waters are not possible). Potable water conditions, at least as measurable through CSLAP, are summarized in the Lake Scorecard and Lake Condition Summary Table.

Evaluation of Limnological Indicators

pH readings were lower than normal in 2011, driven by lower than normal readings in June, and calcium readings were higher than normal, particularly in August and September. The other limnological indicators were close to normal, despite lower than normal TN readings in June, and higher than normal TN and ammonia readings in September. It is not yet known whether these data represent normal conditions, and it is premature to determine if any long-term changes in these indicators have occurred. Overall limnological conditions are summarized in the Lake Scorecard and Lake Condition Summary Table.

Evaluation of Biological Condition

Macrophyte surveys conducted through the LCI showed a small number of aquatic plants, and at least three exotic plant species (*Cabomba caroliniana*, fanwort; *Myriophyllum spicatum*, Eurasian watermilfoil, and *Phragmites* sp.) were found in the lake. The modified floristic quality indices (FQI) data indicate that the quality of the aquatic plant community is "poor," although it is likely that a detailed aquatic plant survey would identify additional plant species. The fish community in the lake is comprised of a mix of coolwater (at least two species) and warmwater (at least five species) fish, suggesting a warmwater fisheries.

Phytoplankton, zooplankton and macroinvertebrate surveys have not been conducted through CSLAP at Roaring Brook Lake.

Biological conditions in the lake are summarized in the Lake Scorecard and Lake Condition Summary Table.

Evaluation of Lake Perception

Water quality assessments were slightly more favorable in 2010 and 2011 than in 2009, despite the lack of water clarity and chlorophyll *a* readings. Aquatic plant coverage and recreational assessments were similar in the last three years, despite reduced weed growth in September, and it is premature to evaluate any long-term trends in lake perception. Overall lake perception is summarized on the Lake Scorecard and Lake Condition Summary Table.

Evaluation of Local Climate Change

Water temperature readings in the summer index period were higher in 2010 and in 2011 (especially July) than in 2009, and these readings can be compared to future temperature readings to evaluate local climate change in the lake.

Evaluation of Algal Toxins

Algal toxin levels can vary significantly within blooms and from shoreline to lake, and the absence of toxins in a sample does not indicate safe swimming conditions. Phycocyanin levels were below the levels indicating susceptibility for harmful algal blooms (HABs) in 2009 and 2011, but no toxins data were collected (due in part to the low phycocyanin levels).

Lake Condition Summary

Category	Indicator	Min	09-11 Avg	Max	2011 Avg	Classification	2011 Change?	Long-term Change?
Eutrophication	Water Clarity	0.95	2.35	3.45	2.26	Mesotrophic	Within Normal Range	Not yet known
indicators	Chlorophyll a	0.70	2.94	6.70	3.19	Mesotrophic	Higher than Normal	Not yet known
	Total Phosphorus	0.010	0.015	0.028	0.017	Mesotrophic	Within Normal Range	Not yet known
Potable Water	Hypolimnetic NH4	1 0.020	0.020			Not measured through CSLAP		
	Hypolimnetic As					Not measured through CSLAP	()	
	Hypolimnetic Iron					Not measured through CSLAP	(p. 114-116-116-16-16-16-16-16-16-16-16-16-16-1	
	Hypolimnetic Mn					Not measured through CSLAP		
Limnological Indicators	Hypolimnetic TP					Not measured through CSLAP		
	Nitrate + Nitrite	0.01	0.03	0.05	0.03	Low NOx	Within Normal Range	Not yet known
	Ammonia	0.00	0.03	0.12	0.03	Low Ammonia	Within Normal Range	Not yet known
	Total Nitrogen	0.07	0.33	0.75	0.32	Low Total Nitrogen	Within Normal Range	Not yet known
	рН	6.80	7.59	8.82	7.48	Alkaline	Lower Than Normal	Not yet known
	Specific Conductance	173	270	328	284	Hardwater	Within Normal Range	Not yet known
	True Color	1	26	63	25	Intermediate Color	Within Normal Range	Not yet known
	Calcium	8.1	13.4	17.6	15.2	May be Susceptible to Zebra Mussels	Higher than Normal	Not yet known
Lake Perception	WQ Assessment	1	1.5	3	1.4	Not Quite Crystal Clear	More Favorable Than Normal	Not yet known
	Plant Coverage	1	2.0	3	1.8	Subsurface Plant Growth	Within Normal Range	Not yet known
	Rec. Assessment	1	1.5	3	1.3	Could Not Be Nicer	Within Normal Range	Not yet known
Biological Condition	Phytoplankton	201112-2010-12				Not measured through CSLAP	Not known	Not known
	Macrophytes					Poor quality of the aquatic plant community	Not known	Not known
	Zooplankton	11-11-11-11-11				Not measured through CSLAP	Not known	Not known
	Macroinvertebrates					Not measured through CSLAP	Not known	Not known
	Fish	2015-115-1				Warmwater fishery	Not known	Not known
	Invasive Species					Eurasian watermilfoil, Fanwort, Phragmites	Not known	Not known
Local Climate	Air Temperature	13	24.0	31	25.3		Within Normal Range	Not yet known
Change	Water Temperature	12	23.3	28	24.7		Higher Than Normal	Not yet known
Harmful Algal Blooms	Open Water Phycocyanin	5	18	46	12	All readings indicate low risk of BGA	Not known	Not known
	Open Water Microcystis					No lakewide toxin sampling	Not known	Not known
	Shoreline Phycocyanin	10911901901		(No shoreline BGA blooms reported	Not known	Not known
	Shoreline Microcystis	****((***)**				No shoreline BGA blooms reported	Not known	Not known
	Other Toxins					No anatoxin-a and cylindrospermposin sampling	Not known	Not known

Evaluation of Lake Condition Impacts to Lake Uses

The 2008 NYSDEC Priority Waterbody Listings (PWL) for the Lower Hudson River drainage basin indicate that recreation is *stressed* in Roaring Brook Lake. The PWL listing for Roaring Brook Lake is provided in Appendix C.

Potable Water (Drinking Water)

The CSLAP dataset at Roaring Brook Lake, including water chemistry data, physical measurements, and volunteer samplers' perception data, is inadequate to evaluate the use of the lake for potable water, and the lake is not used for this purpose. The CSLAP data indicate conditions similar to those in lakes that may support this use.

Contact Recreation (Swimming)

The CSLAP dataset at Roaring Brook Lake, including water chemistry data, physical measurements, and volunteer samplers' perception data, suggests that swimming and contact recreation may be *threatened* at times by reduced water clarity, although water quality conditions in most years indicate this use would be supported. Information about bacterial levels is needed to evaluate the safety of the water for swimming.

Non-Contact Recreation (Boating and Fishing)

The CSLAP dataset on Roaring Brook Lake, including water chemistry data, physical measurements, and volunteer samplers' perception data, suggest that non-contact recreation should be fully supported, although this use may be threatened by fanwort, Eurasian watermilfoil, and Phragmites, although additional data may be needed to verify these assessments.

Aquatic Life

The CSLAP dataset on Roaring Brook Lake, including water chemistry data, physical measurements, and volunteer samplers' perception data, suggest that aquatic life may be *threatened* by the presence of fanwort and Eurasian watermilfoil, although additional data may be needed to verify this assessment. Additional data are needed to evaluate the food and habitat conditions for aquatic organisms in the lake.

Aesthetics

The CSLAP dataset on Roaring Brook Lake, including water chemistry data, physical measurements, and volunteer samplers' perception data, suggest that aesthetics should be fully supported.

Fish Consumption

There are no fish consumption advisories posted for Roaring Brook Lake.


Additional Comments and Recommendations

Additional water quality data should be collected to determine the extent to which water quality conditions, aquatic plant coverage, and recreational assessments measured in the last three years are indicative of normal conditions in the lake.


Aquatic Plant IDs-2011

None submitted for identification.


Time Series: Trophic Indicators, 2011




Time Series: Trophic Indicators, Typical Year (2009-2011)



Time Series: Lake Perception Indicators, 2011



Time Series: Lake Perception Indicators, Typical Year (2009-2011)



Appendix A- CSLAP Water Quality Sampling Results for Roaring Brook Lake

LNum	FName	Date	Zbot	Zsd	Zsamp	Tot_P	NO3	NH4	TDN	TN/TP	TColor	рН	Cond25	Ca	Chl.a
225	Roaring Brook Lake	07/11/2009	4.8	1.25	1.5	0.018	0.05	0.01	0.28	34.43	40	7.27	204	14.6	4.37
225	Roaring Brook Lake	07/25/2009	5.0	2.90	1.5	0.011	0.05	0.05	0.42	87,18	36	7,58	217		1.88
225	Roaring Brook Lake	08/08/2009	5.2	2.90	1.5	0.014	0.05	0,02	0.29	46,26	31	7.87	224		2.30
225	Roaring Brook Lake	08/24/2009	5.1	2,65	1.5	0.012	0.02	0.02	0.30	55.85	30	8.82	188		1.30
225	Roaning Brook Lake	09/05/2009	5.1	2.10	1.5	0.012	0.01	0.01	0.19	36.22	32	7,16	241	14.3	2.20
225	Roaring Brook Lake	09/20/2009	5.1	1.25	1.5	0.013	0.01	0.10	0,34	59,59	63	7.18	203		4.70
225	Roaring Brook Lake	10/04/2009	5.3	1.60	1.5	0.021	0.01	0.05	0.34	36.10	35	7.51	243		4 66
225	Roaring Brook Lake	10/25/2009	4.8	3.05	1.5	0.013	0.03	0.06	0.35	61,11		7.76	173		4.80
225	Roaring Brook Lake	6/19/2010	5.2	2.50	1,5	0.028	0.01	0.02			14	7.13	290	12.9	0.70
225	Roaring Brook Lake	7/3/2010	4.9	3 45	1.5	0.011	0.03	0.00	0.19	37.71	10	8.07	307		1.30
225	Roaring Brook Lake	7/17/2010	4.8	3.00	1.5	0.011	0.01	0.02	0.41	82,55	12	8,35	328		1.00
225	Roaring Brook Lake	7/31/2010	4.9	2.30	1.5	0.011	0.02	0,03	0.34	66.00	32	7.61	310		2.10
225	Roaring Brook Lake	8/14/2010	4.8	1.55	1.5	0.017	0.05	0.04	0.27	34.26	17	7,95	326	8,1	6.70
225	Roaring Brook Lake	8/28/2010	4.9	2.20	1.5	0.017	0.03	0.05	0.75	95,55	22	7.33	313		3.30
225	Roaring Brook Lake	9/11/2010	4.8	3.25	1.5	0.015	0.01	0.04	0.39	56.59	1	7.38	316		2.50
225	Roaring Brook Lake	9/24/2010	4.9	2.30	1.5	0.012	0.02	0.02	0.28	49.37	12	7.41	323		1.20
225	Roaring Brook Lake	5/30/2011	5.0	2.05	1.5	0.021	0.02	0.02	0.27	28.87	24	8.25	277	12.7	4.20
225	Roaring Brook Lake	6/13/2011	5.3	2.95	1.5	0.010	0.01	0.03	0.07	14.67	19	6,8	289		3.70
225	Roaring Brook Lake	7/2/2011	5.0	3.15	1.5	0.025	0.04	0.01	0.21	18.53	15	7,89	277		0.90
225	Roaring Brook Lake	7/18/2011	4.9	2.80	1.5	0,013	0.02	0.02	0.29	50.53	22	7.42	310		1,60
225	Roaring Brook Lake	8/1/2011	4,8	2,00	1.5	0.013	0.05	0.02	0.37	64.95	16	7,56	291	17.6	2.90
225	Roaring Brook Lake	8/17/2011	6.1	2.40	1.5	0.015	0.01	0.01	0.25	36.81	15	7,09	302		2.70
225	Roaring Brook Lake	8/31/2011	4.7	0.95	1,5	0,020	0.04	0.01	0.46	52,35	42	7,42	262		4,50
225	Roaring Brook Lake	9/19/2011	5.0	1.80	1.5	0.020	0.04	0.12	0.60	65.02	48	7.42	260		5.00

LNum	PName	Date	Zbot	Zsd	Zsamp	TAir	TH20	QA	QB	QC	QD	QF	QG	AQ- PC	AQ- Chla	MC- LR	Anatoxin- a	Cyclin
225	Roaring Brook Lake	07/11/2009	4.8	1.25	1.5	24	24	2	3	2	1							
225	Roaring Brook Lake	07/25/2009	5.0	2.90	1.5	25	24	1	2	1	0							
225	Roaring Brook Lake	08/08/2009	5.2	2.90	1.5	23	24	3	3	3	12							
225	Roaring Brook Lake	08/24/2009	5.1	2,65	1,5	24	26	1.	2	2	0							
225	Roaring Brook Lake	09/05/2009	5.1	2,10	1.5	25	23	1	2	2	0			19.49				
225	Roaring Brook Lake	09/20/2009	5.1	1.25	1.5	16	19	3	2	1	0			23.23				
225	Roaring Brook Lake	10/04/2009	5.3	1.60	1.5	20	17	1	1	1	0			45.87				
225	Roaring Brook Lake	10/25/2009	4.8	3.05	1.5	13	12	2	3	2	0							
225	Roaring Brook Lake	6/19/2010	5.2	2.50	1.5	26	23	2	2	2	0	-0	0					
225	Roaring Brook Lake	7/3/2010	4.9	3.45	1,5	26	25	2	2	1	0	0	0					
225	Roaring Brook Lake	7/17/2010	4.8	3.00	1.5	31	28	1	1	1	0	0	0					
225	Roaring Brook Lake	7/31/2010	4.9	2.30	1.5	23	25	2	2	3	2	0	0					
225	Roaring Brook Lake	8/14/2010	4.8	1.55	1.5	25	26	1	2	1	0	0	0	j j				
225	Roaring Brook Lake	8/28/2010	4.9	2.20	1.5	24	23	- 1	2	1	0	0	0					
225	Roaring Brook Lake	9/11/2010	4.8	3,25	1.5	23	22	1	2	1	0	0	0					
225	Roaring Brook Lake	9/24/2010	4.9	2.30	1.5	26	21	2	2	-1	0	0	0					
225	Roaring Brook Lake	5/30/2011	5.0	2.05	1.5	24	24	1	1	1	0	0	0					
225	Roaring Brook Lake	6/13/2011	5.3	2.95	1.5	21	23	1	2	1	0	0	0	10.70	3.30			
225	Roaring Brook Lake	7/2/2011	5.0	3.15	1.5	27	26	1	2	1	0	0	0	4.80	1.70			
225	Roaring Brook Lake	7/18/2011	4.9	2.80	1.5	28	28	1	2	1	0	0	0	10,60	1.60	<0.3	<0.9	<0.1
225	Roaring Brook Lake	8/1/2011	4.8	2.00	1.5	29	28	2	2	1	0	0	0	10.80	3.40			
225	Roaring Brook Lake	8/17/2011	6.1	2.40	1.5	27	25	2	3	3	0	0	0	15.60	2.90			
225	Roaring Brook Lake	8/31/2011	4.7	0.95	1.5	27	24	2	1	1	0	0	0	21.70	7.50			
225	Roaring Brook Lake	9/19/2011	5.0	1.80	1.5	20	20	1_	1	1	0	0	0	12.90	8.40			

Legend Information

Indicator	Description	Detection Limit	Standard (S) / Criteria (C)
General Infor	mation		
Lnum	lake number (unique to CSLAP)		
Lname	name of lake (as it appears in the Gazetteer of NYS Lakes)		
Date	sampling date		
Field Paramet	ers		
Zbot	lake depth at sampling point, meters (m)		
Zsd	Secchi disk transparency or clarity	0.1m	1.2m (C)
Zsamp	water sample depth (m) (epi = epilimnion or surface; bot = bottom)	0.1m	none
Tair	air temperature (C)	-10C	none
TH20	water temperature (C)	-10C	none
Laboratory Pa	urameters		
Tot.P	total phosphorus (mg/l)	0.003 mg/l	0.020 mg/l (C)
NOx	nitrate + nitrite (mg/l)	0.01 mg/l	10 mg/I NO3 (S),
			2 mg/I NO2 (S)
NH4	total ammonia (mg/l)	0.01 mg/l	2 mg/l NH4 (S)
TN	total nitrogen (mg/l)	0.01 mg/l	none
TN/TP	nitrogen to phosphorus (molar) ratio, = (TKN + NOx)*2.2/TP		none
TCOLOR	true (filtered) color (ptu, platinum color units)	1 ptu	none
pН	powers of hydrogen (S.U., standard pH units)	0.1 S.U.	6.5, 8.5 S.U. (S)
Cond25	specific conductance, corrected to 25C (umho/cm)	1 umho/cm	none
Ca	calcium (mg/l)	1 mg/l	none
Chl.a	chlorophyll a (ug/l)	0.01 ug/l	none
Fe	iron (mg/l)	0.1 mg/1	1.0 mg/l (S)
Mn	manganese (mg/l)	0.01 mg/l	0.3 mg/l (S)
As	arsenic (ug/l)	1 ug/l	10 ug/I (S)
AQ-PC	Phycocyanin (aquaflor) (unitless)	1 unit	none
AQ-Chl	Chlorophyll a (aquaflor) (ug/l)	1 ug/l	none
MC-LR	Microcystis-LR (ug/l)	0.01 ug/l	1 ug/l potable (C) 20 ug/l swimming (C
Ana	Anatoxin-a (ug/l)	0.3 ug/l	none
Cyl	Cylindrospermposin (ug/l)	0.1 ug/l	none
Lake Assessm	ent		*
QA	water quality assessment; 1 = crystal clear, 2 = not quite crystal clear, 3 = definite algae greenness, 4 = high algae levels, 5 = severely high algae levels		
QB	aquatic plant assessment; 1 = no plants visible, 2 = plants below surface, 3 = plants at surface, 4 = plants dense at surface, 5 = surface plant coverage		
QC	recreational assessment; 1 = could not be nicer, 2 = excellent, 3 = slightly impaired, 4 = substantially impaired, 5 = lake not usable		
QD	reasons for recreational assessment; 1 = poor water clarity, 2 = excessive weeds, 3 = too much algae, 4 = lake looks bad, 5 = poor weather, 6 = litter/surface debris, 7 = too many lake users, 8 = other		
QF, QG	Health and safety issues today (QF) and past week (QG); 0 = none, 1 = taste/odor, 2 = GI illness humans/animals, 3 = swimmers itch, 4 = algae blooms, 5 = dead fish, 6 = unusual animals, 7 = other		

Appendix B- Monthly Evaluation of Roaring Brook Lake Data, 2006-2011

June Data

n 117.	2006	2007	2008	2009	2010	2011
Zsd					NORMAL	NORMAL
TP					HIGH	LOW
Chl.a					LOW	NORMAL
NOx					NORMAL	NORMAL
NH4					NORMAL	NORMAL
TN						LOW
рН					LOW	LOW
SpCond					NORMAL	NORMAL
Color					NORMAL	NORMAL
Ca					NORMAL	
QA					NORMAL	NORMAL
QB					NORMAL	NORMAL
QC					NORMAL	NORMAL
TH20					NORMAL	NORMAL

High = average monthly reading > 90th percentile reading for lake, 2000-2010 Low = average monthly reading < 10th percentile reading for lake, 2000-2010 Normal = average monthly reading between 10th and 90th percentile reading for lake, 2000-2010

July Data

	2006	2007	2008	2009	2010	2011
Zsd				NORMAL	NORMAL	NORMAL
TP				NORMAL	NORMAL	NORMAL
Chl.a				NORMAL	NORMAL	NORMAL
NOx				NORMAL	NORMAL	NORMAL
NH4				NORMAL	NORMAL	NORMAL
TN				NORMAL	NORMAL	NORMAL
рН				NORMAL	NORMAL	NORMAL
SpCond				NORMAL	NORMAL	NORMAL
Color				NORMAL	NORMAL	NORMAL
Ca				111011		
QA				NORMAL	NORMAL	NORMAL
QB				NORMAL	NORMAL	NORMAL
QC				NORMAL	NORMAL	NORMAL
TH20				NORMAL	NORMAL	HIGH

High = average monthly reading > 90th percentile reading for lake, 2000-2010 Low = average monthly reading < 10th percentile reading for lake, 2000-2010 Normal = average monthly reading between 10th and 90th percentile reading for lake, 2000-2010

August Data

August	Data					
	2006	2007	2008	2009	2010	2011
Zsd				NORMAL	NORMAL	NORMAL
TP				NORMAL	NORMAL	NORMAL
Chl.a				NORMAL	FROH	NORMAL
NOx				NORMAL	NORMAL	NORMAL
NH4				NORMAL	NORMAL	NORMAL
TN				NORMAL	HIGH	NORMAL
рН				HIGH	NORMAL	NORMAL
SpCond				NORMAL	NORMAL	NORMAL
Color				NORMAL	NORMAL	NORMAL
Ca					LOW	THGH
QA				NORMAL	NORMAL	NORMAL
QB				NORMAL	NORMAL	NORMAL
QC				NORMAL	NORMAL	NORMAL
TH20				NORMAL	NORMAL	NORMAL

High = average monthly reading > 90th percentile reading for lake, 2000-2010 Low = average monthly reading < 10th percentile reading for lake, 2000-2010 Normal = average monthly reading between 10th and 90th percentile reading for lake, 2000-2010

September Data

ibel Date					
2006	2007	2008	2009	2010	2011
			NORMAL	NORMAL	NORMAL
			NORMAL	NORMAL	HIGH
			NORMAL	NORMAL	HIGH
			NORMAL	NORMAL	NORMAL
			NORMAL	NORMAL	HIGH
			NORMAL	NORMAL	HIGH
			NORMAL	NORMAL	NORMAL
			NORMAL	NORMAL	NORMAL
			HIGH	LOW	HIGH
	_		NORMAL		
			NORMAL	NORMAL	NORMAL
			NORMAL	NORMAL	LOW
			NORMAL	NORMAL	NORMAL
			NORMAL	NORMAL	NORMAL
		2006 2007		2006 2007 2008 2009 NORMAL NORMAL	2006 2007 2008 2009 2010 NORMAL

High = average monthly reading $> 90^{th}$ percentile reading for lake, 2000-2010 Low = average monthly reading $< 10^{th}$ percentile reading for lake, 2000-2010 Normal = average monthly reading between 10^{th} and 90^{th} percentile reading for lake, 2000-2010

Appendix C: **Priority Waterbody Listing for Roaring Brook Lake**

Roaring Brook Lake (1301-0037)

Need Verific

Revised: 07/11/2008

Waterbody Location Information

Water Index No: H-55-18-P183a

Hydro Unit Code: 02030101/020

Str Class: B

Drain Basin: Lower Hudson River

Lower Hudson River 3/Putnam Co. (40)

Waterbody Type: Lake

114.9 Acres Waterbody Size: Seg Description: entire lake

Reg/County: Quad Map:

OSCAWANA LAKE (P-25-2)

Water Quality Problem/Issue Information

(CAPS indicate MAJOR Use Impacts/Pollutants/Sources)

Use(s) Impacted Recreation

Severity

Problem Documentation

Stressed

Possible

Type of Pollutant(s)

Known:

ALGAL/WEED GROWTH (aquatic vegetation), NUTRIENTS Suspected:

Possible:

Source(s) of Pollutant(s)

Known:

ON-SITE/SEPTIC SYST, Urban/Storm Runoff Suspected:

Possible:

Resolution/Management Information

Issue Resolvability: 1 (Needs Verification/Study (see STATUS))

Verification Status: 1 (Waterbody Nominated, Problem Not Verified)

Lead Agency/Office: DOW/BWAM

TMDL/303d Status: n/a

Resolution Potential: Medium

Further Details

Overview


Recreational uses in Roaring Brook Lake may experience minor impacts/threats due to excessive aquatic vegetation and/or algal growth. This assessment is based on previously reported concerns and conditions in the lake need to be verified.

Previous Assessment


Concerns that recreational uses and aesthetics in Walton Lake may be restricted by excessive aquatic vegetation were previously reported. A 1985 lake study by a consultant indicated suspected sources of nutrients feeding the lake include inadequate and/or failing on-site septic systems serving residences along the lake and lawn chemical/fertilizer usage. Urban runoff and the impact of proposed residential developments was also raised. (Putnam County WQCC, 1996)


2011 Roaring Brook Lake Scorecard

	Lake	Use	
Potable Water			Supported
0			Threatened Stressed
Swimming			Impaired
Boating / Fishing			Not Applicable
Aquatic Life	\triangle		Highly Improving
Aesthetics			↑ Improving
Fiab			Stable
Fish Consumption			Degrading
: 1	2011	All Years	Highly Degrading



2011 Roaring Brook Lake Scorecard





The 2011 CSLAP annual report for Roaring Brook Lake will soon be found at http://www.dec.ny.gov/lands/77848.html